

WHAT IS YOUR LEARNING PROFILE

SCORING GUIDE

1. Actives vs reflectives

Simply circle your choices of responses to the following questions.

Question number	Choice of response (1 point per response)
Q. 1	A B
Q. 5	A B
Q. 9	A B
Q. 13	A B
Q. 17	A B
Q. 21	A B
Q. 25	A B
Q. 29	A B
Q. 33	A B
Q. 37	A B
Q. 41	A B
Total:	11 /11

Analysis of results:

- Give yourself one point per answer.
- Add each column separately.
- Subtract the number obtained in the second column from the number obtained in the first. For example, you got 7 points in the "A" column and 5 points in the "B" column. This gives you a result of 3 points ($7 - 4 = 3$).
- If your result is between 1 and 3, you alternate between the two profiles.
- If your result is between 5 and 7, you have an average tendency toward one or the other profile.
- If your result is between 9 and 11, you now know to which category you belong.

2. Sensors vs intuitors

Simply circle your choices of responses to the following questions.

Question number	Choice of response (1 point per response)
Q. 2	A B
Q. 6	A B
Q. 10	A B
Q. 14	A B
Q. 18	A B
Q. 22	A B
Q. 26	A B
Q. 30	A B
Q. 34	A B
Q. 38	A B
Q. 42	A B
Total:	11 /11

Analysis of results:

- Give yourself one point per answer.
- Add each column separately.
- Subtract the number obtained in the second column from the number obtained in the first. For example, you got 7 points in the "A" column and 5 points in the "B" column. This gives you a result of 3 points ($7 - 4 = 3$).
- If your result is between 1 and 3, you alternate between the two profiles.
- If your result is between 5 and 7, you have an average tendency toward one or the other profile.
- J If your result is between 9 and 11, you now know to which category you belong.

3. Visuals vs verbals

Simply circle your choices of responses to the following questions.

Question number	Choice of response (1 point per response)
Q.3	A B
Q. 7	A B
Q. 11	A B
Q. 15	A B
Q. 19	A B
Q. 23	A B
Q. 27	A B
Q. 31	A B
Q. 35	A B
Q. 39	A B
Q. 43	A B
Total:	11 /11

Analysis of results:

- Give yourself one point per answer.
- Add each column separately.
- Subtract the number obtained in the second column from the number obtained in the first. For example, you got 7 points in the "A" column and 5 points in the "B" column. This gives you a result of 3 points ($7 - 4 = 3$).
- If your result is between 1 and 3, you alternate between the two profiles.
- If your result is between 5 and 7, you have an average tendency toward one or the other profile.
- J If your result is between 9 and 11, you now know to which category you belong.

4. Sequentials vs globals

Simply circle your choices of responses to the following questions.

Question number	Choice of response (1 point per response)
Q. 4	A B
Q. 8	A B
Q. 12	A B
Q. 16	A B
Q. 20	A B
Q. 24	A B
Q. 28	A B
Q. 32	A B
Q. 36	A B
Q. 40	A B
Q. 44	A B
Total:	11 /11

Analysis of results:

- Give yourself one point per answer.
- Add each column separately.
- Subtract the number obtained in the second column from the number obtained in the first. For example, you got 7 points in the "A" column and 5 points in the "B" column. This gives you a result of 3 points ($7 - 5 = 2$).
- If your result is between 1 and 3, you alternate between the two profiles.
- If your result is between 5 and 7, you have an average tendency toward one or the other profile.
- If your result is between 9 and 11, you now know to which category you belong.